Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	347	324/678.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:00
L13	50	L12 and (measur\$3 with (capacitance and resistance))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 09:01
L14	1	"3715656".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 09:01
L15	2761	324/765.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:00
L16	5	15 and 324/671.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 10:02
L17	17	15 and ((measur\$3 determin\$3) with (film adj thickness))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:04
L18	. 5	17 and ((measur\$3 determin\$3) with (resistance))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:12
L19	0	18 and ((measur\$3 determin\$3) with (capacitance))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:04
L20	9	17 and ((measur\$3 determin\$3) with (capacitance))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:07
L21	9	17 and ((measur\$3 determin\$3) with (capacitance))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:07

Ţ

L36	1	(34 35) and (insulation adj film)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 14:42
L37	20	(34 35) and (film adj thickness)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 14:43
L38	0	37 and (charge adj density)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 14:44
L39	0	37 and (deposit\$3 near3 charge)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 14:44
L40	3	37 and (charge)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 14:44
S1	9	("4599558" "4812756" "5485091" "5594247" "5644223" "5650731" "5767693" "6097196" "6202029").PN.	USPAT	OR	ON	2005/02/10 15:26
S2	8	S1 and ((measur\$3 measurement) near3 charge)	US-PGPUB; USPAT	OR	ON	2005/02/10 15:33
S3	3	S2 and ((measur\$3 measurement) near3 (capacitance resistance))	US-PGPUB; USPAT	OR	ON	2005/02/10 15:41
S4	1	S3 and ((measur\$3 measurement) near3 (resistance))	US-PGPUB; USPAT	OR	ON	2005/02/10 16:21
S21	1	"5,138,266".pn.	USPAT	OR	ON	2005/02/10 17:48
S22	146	324/716.ccls.	USPAT	OR	ON	2005/02/14 15:58
S23	1	S22 and (charge adj density)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:02
S24	0	S22 and (voltage adj decay)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:03
S25	0	S22 and (voltage near3 decay)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:05

S26	346	324/678.ccls.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:05
S27	0	S22 and S26	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:05
S28	9	S26 and (voltage near3 decay)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:09
S29	3	S26 and (film adj thickness)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:12
S30	6	S26 and (insulating adj film)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:12
S31	9	(US-4599558-\$ or US-4812756-\$ or US-5485091-\$ or US-5594247-\$ or US-5644223-\$ or US-5650731-\$ or US-5767693-\$ or US-6097196-\$ or US-6202029-\$).did.	USPAT	OR	OFF	2005/02/14 17:04
S32	2	S31 and frequenc\$3	USPAT	OR	ON	2005/02/14 17:04
S33	2	S31 and frequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:26
S40	21	S26 and (frequenc\$3 near3 depend\$4)	USPAT	OR	OFF	2005/02/14 17:54
S41	50	S26 and (measur\$3 with (capacitance and resistance))	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/02/15 09:00